

# SHREE MATRIKAY ENGINEERING



**Quality In Excellent Packing Solution**





• **Specification**

Model	SM 918	SM 918 S	SM 918 P
Bag Width	50 to 150mm	50 to 200mm	50 to 150mm
Bag Length	190mm	300mm	190mm
Power Supply	220watt/AC single Phase		
Air Requirement	6 CFM		
Max. Film Reel Width	320mm	450mm	320mm
Max. Film Diemeter	350mm		
Max. Machine Output	65Bages/Min		
Approx. Machine Weight	350Kg		
Dimension L x W x H	760 x 660 x 2100mm		
Packing Material	Laminated/Virgin Film		

• **Special Feature**

- PLC / CPU controller with 4" touch screen colour HMI.
- Gear Box with Motor by TRANSTECNO, ITALY.
- PID Temperature Controller by OMRON, JAPAN.
- Pneumatic System by SMC, JAPAN.
- Mark Sensor by P & F, Germany.
- Completely tool less former for quick changeover.
- Motorized film unwinding for uniform film tension control.
- Product Recipe Setting.

• **Additional System**

- Online Batch Coding Device.
- Static Charge Eliminator For Dust Free Sealling
- Nitrogen Gas Flushing System.

63,Shreenathji Industrial Estate, Opp. Sarjan Estate, Nr. Vishala Estate, S.P Ring Road,  
Nr. Odhav Circle, Kathwada, Ahmedabad-382030.

Mo. +91-93275 27983, Email:- infomatrikay@gmail.com,h\_gajjar@yahoo.in

Website:- www.matrikay.com



Model	10 Heads	14 Heads
Weighing Range	15g to 3000g	15g to 3000g
Accuracy	±0.5 to 2g	±0.5 to 2g
Max.Speed	60 WPM	120 WPM
Power Supply	220V	220V
Hopper Volume	1600ml/2500ml	1600ml
Control panel	7" Touch Screen	7" Touch Screen
Gross WDT	380 KG	480 KG

• **Specification**

Model	SM 963 / SM 963 S*
Bag Width	100 to 200mm
Bag Length	300mm
Power Supply	220watt/AC single Phase
Air Requirement	6 CFM
Max. Film Reel Width	410mm
Max. Film Diameter	350mm
Max. Machine Output	65Bages/Min/110Bages/Min*
Approx. Machine Weight	SM 963 / SM 963 S*
Dimension L x W x H	1850 x 1300 x 2150mm
Packing Material	Laminated/Virgin Film

• **Special Feature**

- PLC / CPU controller with 4" touch screen colour HMI.
- PLC / CPU controller with 7" touch screen colour HMI. by FUJI,JAPAN in SM 963 S
- Gear Box with Motor by TRANSTECNO, ITALY.
- Servo Motor for Paper Pulling & Horizontal sailing by FUJI,JAPEN in SM 963 S
- PID Temperature Controller by OMRON, JAPAN.
- Pneumatic System by SMC, JAPAN.
- Mark Sensor by P & F, Germany.
- Completely tool less former for quick changeover.
- Motorized film unwinding for uniform film tension control.
- Product Recipe Setting.



**Quality In Excellent Packing Solution**



Mfg. Of Packing Machine & Robotic Automation System

An ISO:9001 2008 Certified Company

Namkeen, Powder, Spices & Masala

Confectionary , Washing Powder

Tea, Coffey, Suger, Rise, Liquid

\*Cup Filler Machine

\*Servo Beas Auger Filler Machine

\*10-14 Malty Head

\*Z, Type Becket Elevator

\*High Speed Double Servo Motion Control Bagging Machine

\*Box Packing Machine (Hot Glue)

**Quality In Excellent Packing Solution**

63,Shreenathji Industrial Estate, Opp. Sarjan Estate, Nr. Vishala Estate, S.P Ring Road,  
Nr. Odhav Circle, Kathwada, Ahmedabad-382030.

Mo. +91-93275 27983, Email:- infomatrikay@gmail.com,h\_gajjar@yahoo.in

Website:- www.matrikay.com